



Sequence Listing

Sequence listing

<110> SCHRENZEL, Jacques  
FRANCOIS, Patrice  
CHARBONNIER, Yvan  
JACQUET, Jean  
UTINGER, Dominic  
KRESBACH, Gerhard  
ABEL, Andreas  
EHRAT, Markus

<120> Analytical chip with an array of immobilized specific recognition  
elements for the determination of clinically relevant bacteria  
and analytical method based thereon

<130> 2005-0613A/WMC/01841

<140> 10/530,910  
<141> 2005-04-08

<150> 02022631.2-1223  
<151> 2002-10-09

<160> 288

<210> 1  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Enterobacter cloacae

<400> 1  
acgtcaattg ctgcggtta 19

<210> 2  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Staphylococcus aureus

<400> 2  
agcaagcttc tcgtccggt 19

<210> 3

<400> 3  
000

<210> 4

<400> 4  
000

<210> 5

<400> 000	5
<210>	6
<400> 000	6
<210>	7
<400> 000	7
<210>	8
<400> 000	8
<210>	9
<400> 000	9
<210>	10
<400> 000	10
<210>	11
<400> 000	11
<210>	12
<400> 000	12
<210>	13
<400> 000	13
<210>	14
<400> 000	14
<210>	15
<400> 000	15
<210>	16
<400> 000	16
<210>	17
<400> 000	17
<210>	18

<400> 18  
 000  
 <210> 19  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Escherichia coli  
 <400> 19  
 agcaagccct tctgctggt 19  
 <210> 20  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Escherichia coli  
 <400> 20  
 ggcagtctct ctttgagtt 19  
 <210> 21  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Escherichia coli  
 <400> 21  
 tcagactacg cagcacttt 19  
 <210> 22  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Enterococcus faecalis  
 <400> 22  
 gccatgcggc ataaactgt 19  
 <210> 23  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Enterococcus faecalis  
 <400> 23  
 cgaaagcgcc tttcactct 19  
 <210> 24

<211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Enterococcus faecalis  
  
 <400> 24  
 agataaccgtc aggggacgt 19  
  
 <210> 25  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Klebsiella pneumoniae  
  
 <400> 25  
 ttctctccca ctgaaagtg 19  
  
 <210> 26  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Klebsiella pneumoniae  
  
 <400> 26  
 ggtaacgtca atcgccaag 19  
  
 <210> 27  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Klebsiella pneumoniae  
  
 <400> 27  
 tgcgggtaac gtcaatcgc 19  
  
 <210> 28  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Staphylococcus epidermidis (excludes Staphylococcus aureus)  
  
 <400> 28  
 tcactattga accatgcgg 19  
  
 <210> 29  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
<223> Probe for Staphylococcus aureus (excludes Staphylococcus epidermidis)

<400> 29  
ccgtcaagat gtgcacagt 19

<210> 30  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Pseudomonas aeruginosa

<400> 30  
gatcccccac tttctcct 19

<210> 31  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Streptococcus pneumoniae

<400> 31  
tgtcatgcaa catccactc 19

<210> 32  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Streptococcus pneumoniae

<400> 32  
cgtgaacgta gtgatggtc 19

<210> 33  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Propionibacterium acnes

<400> 33  
tttcaaagcc gccaacccc 19

<210> 34  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Pseudomonas aeruginosa

<400> 34  
gcggtattag cgcccgttt 19

<210> 35  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Pseudomonas aeruginosa*

<400> 35  
actttctccc tcaggacgt 19

<210> 36  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Propionibacterium acnes*

<400> 36  
cccacaaaag cagggcctt 19

<210> 37  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Streptococcus pneumoniae*

<400> 37  
ctggtagtga tgcaagtgc 19

<210> 38  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Streptococcus pneumoniae*

<400> 38  
tctggtagt atgcaagtgc 19

<210> 39  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Streptococcus pneumoniae*

<400> 39  
catctggtag tgatgcaag 19

<210> 40  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus pyogenes  
 <400> 40  
 taaattacta acatgcgtt 19

<210> 41  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus pyogenes  
 <400> 41  
 aattactaac atgcgttag 19

<210> 42  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus pyogenic consensus  
 <400> 42  
 aattgcacct tttaaata 19

<210> 43  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus pyogenic consensus  
 <400> 43  
 taacttcaga cttaaagaa 19

<210> 44  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus salivarius  
 <400> 44  
 aataaatgac atgtgtcat 19

<210> 45  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for Streptococcus salivarius  
  
 <400> 45  
 aaataaatga catgtgtca 19  
  
 <210> 46  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus salivarius consensus  
  
 <400> 46  
 ctatctctag aaatagcat 19  
  
 <210> 47  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus salivarius consensus  
  
 <400> 47  
 ctatctctag aaatagcat 19  
  
 <210> 48  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus sanguis  
  
 <400> 48  
 atgcaataat caattttat 19  
  
 <210> 49  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus sanguis  
  
 <400> 49  
 gcatctttca attaattat 19  
  
 <210> 50  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Enterobacter cloacae  
  
 <400> 50  
 ggtcttgcg cgttatgcg 19



<210> 51  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Staphylococcus consensus  
  
 <400> 51  
 cacttttgaa ccatgcggt 19

<210> 52  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Staphylococcus consensus  
  
 <400> 52  
 caccccaatc atttgtccc 19

<210> 53  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Bacteroides fragilis  
  
 <400> 53  
 gaacgcatcc ccatccttt 19

<210> 54  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Enterobacter agglomerans  
  
 <400> 54  
 ttcagtagta cggaatgc 19

<210> 55  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus dysgalactiae  
  
 <400> 55  
 ttgcaccttt taaatgaaa 19

<210> 56  
 <211> 19

<212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus equinus  
 <400> 56  
 cttctttcaa gcatctaac 19

<210> 57  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus intermedius  
 <400> 57  
 gtatgaactt tccattctc 19

<210> 58  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus mitis  
 <400> 58  
 tctacttgca tgtattagg 19

<210> 59  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus mitis  
 <400> 59  
 aaaactctat ctctagagc 19

<210> 60  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus mitis consensus  
 <400> 60  
 accttttaag taaatgtca 19

<210> 61  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>

<223> Probe for Streptococcus mitis consensus  
 <400> 61  
 accttttaag taaatgtca 19  
  
 <210> 62  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus mitis consensus  
 <400> 62  
 aattgcacct tttaagtaa 19  
  
 <210> 63  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus mitis consensus  
 <400> 63  
 aattgcacct tttaagtaa 19  
  
 <210> 64  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus mutans  
 <400> 64  
 cttgcatctt tcaatcaat 19  
  
 <210> 65  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus mutans  
 <400> 65  
 attatcatgc aataattaa 19  
  
 <210> 66  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus mutans consensus  
 <400> 66  
 tttaacttca gacttacta 19

<210> 67  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus mutans consensus  
  
 <400> 67  
 atctttcaat caattaaca 19

<210> 68  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus pneumonia  
  
 <400> 68  
 actagctaata acaacgtag 19

<210> 69  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus pneumonia  
  
 <400> 69  
 actagctaata acaacgtag 19

<210> 70  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus pneumonia consensus  
  
 <400> 70  
 aaagcctact atggtaag 19

<210> 71  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus pneumoniae  
  
 <400> 71  
 gtcacgaac atccactct 19

<210> 72  
 <211> 19

<212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus pneumoniae  
 <400> 72  
 tgtcatgcaa catccactc 19

<210> 73  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus kloosii  
 <400> 73  
 tctataagtg atagcaagg 19

<210> 74  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus lugdunensis  
 <400> 74  
 agagttttac gatcctaag 19

<210> 75  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus saprophyticu  
 <400> 75  
 cacagttact tacacattt 19

<210> 76  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus saprophyticu  
 <400> 76  
 agttacttac acatttggt 19

<210> 77  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>

<223> Probe for *Staphylococcus sciuri*  
 <400> 77  
 ttcagttact aacaaattt 19

<210> 78  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Staphylococcus simulans*  
 <400> 78  
 gcatagttac ttacatcct 19

<210> 79  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Staphylococcus warneri*  
 <400> 79  
 ttcaatatgt tatccggtat 19

<210> 80  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Staphylococcus xylosus*  
 <400> 80  
 tctaaatggt atccggtat 19

<210> 81  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Stomatococcus mucilaginosus*  
 <400> 81  
 cagagttaaa ggtaggtta 19

<210> 82  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Streptococcus agalactiae*  
 <400> 82  
 taacatgtgt taattactc 19

<210> 83  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus agalactiae  
  
 <400> 83  
 atcagtctag tgtaaacac 19

<210> 84  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus agalactiae  
  
 <400> 84  
 ctcacagtc tagtgtaaa 19

<210> 85  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus anginosus consensus  
  
 <400> 85  
 acagtatgaa ctttcatt 19

<210> 86  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus anginosus consensus  
  
 <400> 86  
 tttcacttca gacttatct 19

<210> 87  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Streptococcus bovis consensus  
  
 <400> 87  
 tgtgttaaatt gctgttatg 19

<210> 88  
 <211> 19

<212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus bovis consensus  
 <400> 88  
 cttcagactt attaaaccg 19

<210> 89  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus bovis consensus  
 <400> 89  
 cttcctatct ctaggaata 19

<210> 90  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Streptococcus canis  
 <400> 90  
 gttcttaaca tgtgttaag 19

<210> 91  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Citrobacter freundii  
 <400> 91  
 tatcgaatta aaccacatg 19

<210> 92  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Burkholderia cepacia  
 <400> 92  
 tagaaccaag gatttcttt 19

<210> 93  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>



<223> Probe for *Bacteroides distasonis*  
 <400> 93  
 cttataaaag aggtttacg 19  
  
 <210> 94  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Actinomyces meyeri*  
 <400> 94  
 cagtgaatat ccagtatta 19  
  
 <210> 95  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Staphylococcus epidermidis*  
 <400> 95  
 cagcaaaacc gtctttcac 19  
  
 <210> 96  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Serratia marcescen*  
 <400> 96  
 tcaattgatg agcgtatta 19  
  
 <210> 97  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Pseudomonas aeruginosa*  
 <400> 97  
 gcggtattag cgcccgttt 19  
  
 <210> 98  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Proteus mirabilis*  
 <400> 98  
 gtaacgtcaa ttgataagg 19

<210> 99  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 .  
 <220>  
 <223> Probe for PeptoStreptococcus consensus  
 ..  
 <400> 99  
 tagcagtttt aaatgctta 19  
 -  
 <210> 100  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Legionella pneumophila  
 <400> 100  
 ttaatcagct cttaaccta 19  
 <210> 101  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Klebsiella oxytoca  
 <400> 101  
 ataaggttat taacctcac 19  
 <210> 102  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Gemella haemolysans  
 <400> 102  
 aacttttaaa catcaacca 19  
 <210> 103  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus epidermidis  
 <400> 103  
 acatcagcgt cagatacag 19  
 <210> 104  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for Staphylococcus epidermidis  
 <400> 104  
 tcgcacatca gcgtcagat 19

<210> 105  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus epidermidis  
 <400> 105  
 ctattgaacc atgcggttc 19

<210> 106  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus haemolyticus  
 <400> 106  
 tagttactta cacgtatgt 19

<210> 107  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus hominis  
 <400> 107  
 tctataagtg atagcagag 19

<210> 108  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus hominis  
 <400> 108  
 tctataagtg atagcagag 19

<210> 109  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Enterobacter agglomerans

<400> 109  
cgtaaggga tgatgactt 19

<210> 110  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Clostridium ramosum*

<400> 110  
ctttgaggca cttttaata 19

<210> 111  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Citrobacter freundii*

<400> 111  
tatcgaatta aaccacatg 19

<210> 112  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Bacteroides vulgatus*

<400> 112  
tccttattca taaagtaca 19

<210> 113  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Bacteroides consensus*

<400> 113  
tttccacata attcagttg 19

<210> 114  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Actinomyces meyeri*

<400> 114  
ccagtgaata tccagtatt 19

<210> 115  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Staphylococcus cohnii*  
  
 <400> 115  
 taaatgttat ccggcatta 19  
  
 <210> 116  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Staphylococcus epidermidis*  
  
 <400> 116  
 catgcggttc aatatatta 19  
  
 <210> 117  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Pseudomonas aeruginosa*  
  
 <400> 117  
 tgttccttcc tatatctac 19  
  
 <210> 118  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Propionibacterium consensus*  
  
 <400> 118  
 ttaccttggtt acgacttag 19  
  
 <210> 119  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *PeptoStreptococcus consensus*  
  
 <400> 119  
 tgctggtaac taaagatag 19  
  
 <210> 120  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Legionella pneumophila*  
 <400> 120  
 aatcagctct taacctatc 19

<210> 121  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Klebsiella pneumoniae*  
 <400> 121  
 ggtaacgtca atgaataag 19

<210> 122  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Gemella haemolysans*  
 <400> 122  
 tgtatagtta ctacacaat 19

<210> 123  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Eubacterium limosum*  
 <400> 123  
 aaaaccataa tataaggct 19

<210> 124  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterococcus faecalis*  
 <400> 124  
 gccactcctc tttccaatt 19

<210> 125  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterobacter agglomerans*

<400> 125  
ggggatttca catcgactt 19

<210> 126  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Clostridium tertium

<400> 126  
gctcctttaa ttacttctt 19

<210> 127  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Escherichia coli

<400> 127  
cgctgaaagt acgtggctt 19

<210> 128  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Enterococcus faecali

<400> 128  
ctttaagaga tttgcatga 19

<210> 129  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Enterobacter agglomerans

<400> 129  
cctttgagtt cccaccatt 19

<210> 130  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Clostridium perfringens

<400> 130  
tcaacattat gcggtatta 19

<210> 131  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Citrobacter freundii*  
 <400> 131  
 ttctcttagt ttatcactg 19

<210> 132  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Bacteroides ureolyticus*  
 <400> 132  
 attctttcct gataaaagg 19

<210> 133  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Bacteroides consensus*  
 <400> 133  
 cacataattc agttgcaat 19

<210> 134  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Acinetobacter junii*  
 <400> 134  
 aagagtatta gtctcagta 19

<210> 135  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Staphylococcus aureus*  
 <400> 135  
 aagcaagctt ctcgtccgt 19

<210> 136  
 <211> 19  
 <212> DNA  
 <213> Artificial



<220>  
 <223> Probe for Staphylococcus epidermidis  
  
 <400> 136  
 tgcggttcaa tatattatc 19  
  
 <210> 137  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Pseudomonas aeruginosa  
  
 <400> 137  
 tcctatatct acgcatttc 19  
  
 <210> 138  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Propionibacterium consensus  
  
 <400> 138  
 gttacgactt agtcctaatt 19  
  
 <210> 139  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for PeptoStreptococcus anaerobi  
  
 <400> 139  
 actttgatatt atctacgat 19  
  
 <210> 140  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Lactobacillus consensus  
  
 <400> 140  
 aagcaccatt cattattaa 19  
  
 <210> 141  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Haemophilus paraphrophilus

<400> 141  
tttcatctct cgattctac 19

<210> 142  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Fusobacterium varium*

<400> 142  
atagctttca taaccaaatt 19

<210> 143  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Escherichia coli*

<400> 143  
aacgcacatc atgcgtctt 19

<210> 144  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Enterococcus faecalis*

<400> 144  
cgaaagcgcc tttcactct 19

<210> 145  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Haemophilus parainfluenzae*

<400> 145  
agtctattaa actaaatgc 19

<210> 146  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for *Fusobacterium nucleatum*

<400> 146  
tagctttcat aattctaag 19

<210> 147  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Escherichia coli*  
 <400> 147  
 aaccgactcc atgaagtcg 19

<210> 148  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterococcus faecali*  
 <400> 148  
 gagaagcttt aagagattt 19

<210> 149  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterobacter aerogenes*  
 <400> 149  
 caaggttatt aaccttaac 19

<210> 150  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Clostridium perfringens*  
 <400> 150  
 acattatgcg gtattaatc 19

<210> 151  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Citrobacter freundii*  
 <400> 151  
 cttcctctag tttatcact 19

<210> 152  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for Bacteroides thetaiotaomicron  
 <400> 152  
 ccgaaattct ttaataata 19

<210> 153  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Bacteroides consensus  
 <400> 153  
 cagtatcaac tgcaatttt 19

<210> 154  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Acinetobacter consensus  
 <400> 154  
 gagatgatat ccggtatta 19

<210> 155  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Escherichia coli  
 <400> 155  
 agcaagcttc tcgtccgtt 19

<210> 156  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus epidermidis  
 <400> 156  
 atgcggttca atatattat 19

<210> 157  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Pseudomonas aeruginosa

<400> 157  
gttccttcct atatctacg 19

<210> 158  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Propionibacterium acnes

<400> 158  
agttagccgg tgcttcttt 19

<210> 159  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for PeptoStreptococcus anaerobi

<400> 159  
catgtattag taaactttt 19

<210> 160  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Lactobacillus consensus

<400> 160  
ggatcaaact ctcatttta 19

<210> 161  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Haemophilus paraphrophilus

<400> 161  
attaacgtca atttggtgt 19

<210> 162  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Fusobacterium nucleatum

<400> 162  
taattctaag atgccttaa 19

<210> 163  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Pasteurella multocida*  
 <400> 163  
 gctatctatt taacaacat 19

<210> 164  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Klebsiella pneumoniae*  
 <400> 164  
 cgggtaacgt caatcgatg 19

<210> 165  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Haemophilus parainfluenzae*  
 <400> 165  
 ctagtctatt aaactaaat 19

<210> 166  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Fusobacterium necrophorum*  
 <400> 166  
 aaaaccataa tatccgga 19

<210> 167  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Escherichia coli*  
 <400> 167  
 aattcgattt gagttttaa 19

<210> 168  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Enterococcus consensus*  
 <400> 168  
 gatgaacatt ctactctca 19

<210> 169  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Enterobacter aerogenes*  
 <400> 169  
 aaggttatta accttaacg 19

<210> 170  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Clostridium paraputrificum*  
 <400> 170  
 ttttaattgct acttcatgc 19

<210> 171  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Citrobacter amalonaticus*  
 <400> 171  
 aatggctaag gttattaac 19

<210> 172  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Bacteroides thetaiotaomicron*  
 <400> 172  
 ccgaaattct ttaataata 19

<210> 173  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for *Bacteroides caccae*

<400>	173	
accgaatttc tttaatata		19
<210>	174	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for Acinetobacter consensus	
<400>	174	
gagatgatat ccggtatta		19
<210>	175	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for Staphylococcus aureus	
<400>	175	
cgtggctttc tgattaggt		19
<210>	176	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for Salmonella enteritidis	
<400>	176	
gtatataatc ctgtttgct		19
<210>	177	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for Pseudomonas aeruginosa	
<400>	177	
cttcctatat ctacgcatt		19
<210>	178	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for Propionibacterium acnes	
<400>	178	
cccacaaaag cagggcctt		19



<210>	179	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Pasteurella multocida</i>	
<400>	179	
	taattaacgt caatgatgc	19
<210>	180	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Lactobacillus consensus</i>	
<400>	180	
	ctaaggttgt caaaagatg	19
<210>	181	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Providencia stuartii</i>	
<400>	181	
	cgttgatggt attaacatc	19
<210>	182	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Propionibacterium acne</i>	
<400>	182	
	caattccttt gagtttttag	19
<210>	183	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Neisseria flavescens</i>	
<400>	183	
	ccaactaact aatcagata	19
<210>	184	
<211>	19	
<212>	DNA	
<213>	Artificial	

<220>  
 <223> Probe for *Klebsiella pneumoniae*  
 <400> 184  
 tgcgggtaac gtcaatcgc 19

<210> 185  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Haemophilus influenzae*  
 <400> 185  
 ttaacgtcaa tttgatgta 19

<210> 186  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Fusobacterium necrophorum*  
 <400> 186  
 catctagctt tcatgattc 19

<210> 187  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Escherichia coli*  
 <400> 187  
 tacttctttt ggacgaata 19

<210> 188  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterococcus consensus*  
 <400> 188  
 gagaagcttt aagagatta 19

<210> 189  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Eikenella corrodens*

<400>	189	
actagctaat cagttatcg		19
<210>	190	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Clostridium innocuum</i>	
<400>	190	
gctcagtcaa tttaaattc		19
<210>	191	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Citrobacter amalonaticus</i>	
<400>	191	
aaggttatta accttaacc		19
<210>	192	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Bacteroides stercoris</i>	
<400>	192	
aattctttaa taatcatcc		19
<210>	193	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Bacteroides caccae</i>	
<400>	193	
tatgctatcg gatattaat		19
<210>	194	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Acinetobacter consensus</i>	
<400>	194	
agatgatatc cggattag		19

<210> 195  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus aureus  
 <400> 195  
 tagctaattgc agcgcgat 19

<210> 196  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Salmonella consensus  
 <400> 196  
 attctcatct ctgaaaact 19

<210> 197  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Providencia stuartii  
 <400> 197  
 caatcggtga tggatttaa 19

<210> 198  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Propionibacterium acnes  
 <400> 198  
 cccaaccgc cgaaacttt 19

<210> 199  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus aureus  
 <400> 199  
 gcaagaccgt ctttcactt 19

<210> 200  
 <211> 19  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Probe for salmonella consensus  
  
 <400> 200  
 tgatcaaact cttcaattt 19  
  
 <210> 201  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Proteus vulgaris  
  
 <400> 201  
 gctaagagta ttaatctta 19  
  
 <210> 202  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Aerococcus viridans  
  
 <400> 202  
 agaggacat aaggtatta 19  
  
 <210> 203  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Neisseria flavescens  
  
 <400> 203  
 accaactaac taatcagat 19  
  
 <210> 204  
 <400> 204  
 000  
  
 <210> 205  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for Haemophilus influenzae  
  
 <400> 205  
 taacgtcaat ttgatgtac 19  
  
 <210> 206  
 <211> 19  
 <212> DNA

<213> Artificial  
 <220>  
 <223> Probe for *Fusobacterium mortiferum*  
 <400> 206  
 tatagctttc atatgaatt 19

<210> 207  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Escherichia coli*  
 <400> 207  
 gatctctact ggaattcta 19

<210> 208  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterobacter cloacae*  
 <400> 208  
 acgtcaattg ctgcggtta 19

<210> 209  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Eikenella corrodens*  
 <400> 209  
 caactagcta atcagttat 19

<210> 210  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Clostridium innocuum*  
 <400> 210  
 gctcagtcaa tttaaattc 19

<210> 211  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Chryseomonas luteola*

<400> 211  
caacgtatta gggtacaac 19

<210> 212  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Bacteroides ovatus

<400> 212  
atatcatgcg atattcgta 19

<210> 213  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Alcaligenes faecalis

<400> 213  
cactctttcg agtagttat 19

<210> 214  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Acinetobacter consensus

<400> 214  
agatgatatc cggattag 19

<210> 215  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Staphylococcus aureus

<400> 215  
cacttttgaa ccatgcggt 19

<210> 216  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Salmonella consensus

<400> 216  
ttctcatctc tgaaaactt 19

<210> 217  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Aeromonas hydrophila*  
  
 <400> 217  
 acagttgata cgtattagg 19

<210> 218  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Acinetobacter consensus*  
  
 <400> 218  
 ttttgagatt agcatccta 19

<210> 219  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Staphylococcus aureus*  
  
 <400> 219  
 tcgctgccct ttgtattgt 19

<210> 220  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Staphylococcus aureus*  
  
 <400> 220  
 tatctctaga gttgtcaaa 19

<210> 221  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Proteus vulgaris*  
  
 <400> 221  
 taagagtatt aatcttaac 19

<210> 222  
 <211> 19  
 <212> DNA



<213> Artificial  
 <220>  
 <223> Probe for *PeptoStreptococcus prevotii*  
 <400> 222  
 agagatcatt taagcttca 19  
 <210> 223  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Morganella morganii*  
 <400> 223  
 aaggttatta accttgaca 19  
 <210> 224  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Klebsiella pneumonia*  
 <400> 224  
 gatgaggtta ttaacctca 19  
 <210> 225  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Haemophilus aphrophilus*  
 <400> 225  
 tacaagtact tacctgtta 19  
 <210> 226  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Fusobacterium mortiferum*  
 <400> 226  
 atagctttca tatgaattt 19  
 <210> 227  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Escherichia coli*

<400> 227  
atgagcaaag tattagact 19

<210> 228  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Enterobacter cloacae

<400> 228  
ggtcttgcca ctttatgca 19

<210> 229  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Corynebacterium consensus

<400> 229  
taaagtatgg tgcctatc 19

<210> 230  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Clostridium consensus

<400> 230  
atgcgatact ctgatatta 19

<210> 231  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Capnocytophaga ochracea

<400> 231  
gctttaatag ttgtgtgat 19

<210> 232  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Bacteroides fragilis

<400> 232  
ggaacgcata cccatcctt 19

<210> 233  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Aeromonas hydrophila*  
  
 <400> 233  
 tcacagttga tacgtatta 19

<210> 234  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Acinetobacter* consensus  
  
 <400> 234  
 ctctggaaag ttcttacta 19

<210> 235  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Capnocytophaga* consensus  
  
 <400> 235  
 tcaattaatt gttagtaat 19

<210> 236  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Bacteroides fragili*  
  
 <400> 236  
 tgttagtaac taaagataa 19

<210> 237  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Aerococcus viridans*  
  
 <400> 237  
 gtggctttct gataagata 19

<210> 238  
 <211> 19  
 <212> DNA

<213> Artificial  
 <220>  
 <223> Probe for Acinetobacter consensus  
 <400> 238  
 tattaaccaa agtagcctc 19

<210> 239  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Shigella dysenteria  
 <400> 239  
 aaaggtatta actttactc 19

<210> 240  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus aureus  
 <400> 240  
 tatctaattc tgtttgatc 19

<210> 241  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Proteus penneri  
 <400> 241  
 acgtcaattg ataaaggta 19

<210> 242  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for PeptoStreptococcus prevotii  
 <400> 242  
 gaagagatca tttaagctt 19

<210> 243  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Morganella morganii

<400> 243  
caaggttatt aaccttgac 19

<210> 244  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for klebsiella pneumonia

<400> 244  
taattccgat taacgctta 19

<210> 245  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Haemophilus aphrophilus

<400> 245  
gtacaagtac ttacctgtt 19

<210> 246  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Fusobacterium consensus

<400> 246  
attcctttga gtttcatac 19

<210> 247  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Escherichia coli

<400> 247  
catgatcaaa ctctcaatt 19

<210> 248  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Enterobacter cloacae

<400> 248  
ggctcttgca ctttatgcg 19

<210> 249  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Corynebacterium* consensus  
  
 <400> 249  
 catcgaatta atccacatg 19  
  
 <210> 250  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Clostridium* consensus  
  
 <400> 250  
 tttcacatct gacttaaatt 19  
  
 <210> 251  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Capnocytophaga* consensus  
  
 <400> 251  
 tctccaacta gctaataga 19  
  
 <210> 252  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Bacteroides fragilis*  
  
 <400> 252  
 catcctttac cggaatcct 19  
  
 <210> 253  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for CNS (Coagulase Negative Staphylococci) consensus  
  
 <400> 253  
 ttaccaacta gctaatacg 19  
  
 <210> 254  
 <211> 19  
 <212> DNA  
 <213> Artificial  
  
 <220>  
 <223> Probe for *Clostridium bifermentans*  
  
 <400> 254

ccgtattagt atacctttc 19

<210> 255  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Burkholderia cepacia

<400> 255  
ctgtattaga accaaggat 19

<210> 256  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Bacteroides fragili

<400> 256  
ctgcacttta ttcttatat 19

<210> 257  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Aerococcus viridans

<400> 257  
gcttataggt agattcctt 19

<210> 258  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Acinetobacter calcoaceticus

<400> 258  
ctgaaggat taacttcag 19

<210> 259  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Shigella dysenteria

<400> 259  
gtatctctac aaggttctg 19

<210> 260  
<211> 19  
<212> DNA  
<213> Artificial

<220>  
<223> Probe for Staphylococcus aureus

<400>	260	
cacagttact	tacacatat	19
<210>	261	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Proteus penneri</i>	
<400>	261	
taacgtcaat	tgataaagg	19
<210>	262	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>PeptoStreptococcus micros</i>	
<400>	262	
agaattcca	caaaaatca	19
<210>	263	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Moraxella osloensis</i>	
<400>	263	
caggtaacgt	ctaatactaa	19
<210>	264	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Klebsiella pneumonia</i>	
<400>	264	
atcgatgagg	ttattaacc	19
<210>	265	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Gemella morbillorum</i>	
<400>	265	
aaccaacttt	taaatatct	19
<210>	266	
<211>	19	
<212>	DNA	
<213>	Artificial	



<220>  
 <223> Probe for *Fusobacterium* consensus  
 <400> 266  
 ctaagaatag ttttctgag 19  
 <210> 267  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterococcus faeciu*  
 <400> 267  
 tttaagagat tagcttagc 19  
 <210> 268  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterobacter agglomeran*  
 <400> 268  
 gtaacattct gatttacga 19  
 <210> 269  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Corynebacterium* consensus  
 <400> 269  
 ctaaagtatg gtgtcctat 19  
 <210> 270  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Clostridium clostridiiforme*  
 <400> 270  
 gaaaacttca tcttaattg 19  
 <210> 271  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for *Enterococcus faecalis*  
 <400> 271  
 agataccgtc aggggacgt 19  
 <210> 272  
 <211> 19  
 <212> DNA

<213> Artificial  
 <220>  
 <223> Probe for Enterobacter agglomerans  
 <400> 272  
 agaactcaag ctgccagtt 19  
 <210> 273  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for CNS consensus  
 <400> 273  
 tagctcctaa taaatggtt 19  
 <210> 274  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Citrobacter freundii  
 <400> 274  
 ccttcctcta gtttatcac 19  
 <210> 275  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Burkholderia cepacia  
 <400> 275  
 gtattagaac caaggattt 19  
 <210> 276  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Bacteroides fragili  
 <400> 276  
 acatactgca ctttattct 19  
 <210> 277  
 <211> 19  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> Probe for Staphylococcus aureus  
 <400> 277  
 agcagttact ctacaattt 19  
 <210> 278

<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Acinetobacter baumannii</i>	
<400>	278	
	taggtattaa ctaaagtag	19
<210>	279	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Serratia marcescen</i>	
<400>	279	
	caattgatga gcgtattaa	19
<210>	280	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Pseudomonas aeruginosa</i>	
<400>	280	
	actttctccc tcaggacgt	19
<210>	281	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Proteus mirabilis</i>	
<400>	281	
	ggtaacgtca attgataag	19
<210>	282	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>PeptoStreptococcus micros</i>	
<400>	282	
	cgtcattatc ttctcatag	19
<210>	283	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Moraxella catarrhalis</i>	
<400>	283	
	actaagtatc agaagcaag	19

<210>	284	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Klebsiella pneumonia</i>	
<400>	284	
	tcaatcgatg aggttatta	19
<210>	285	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Gemella morbillorum</i>	
<400>	285	
	tagttactac atatccatt	19
<210>	286	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Fusobacterium consensus</i>	
<400>	286	
	tccgaactaa gaatagttt	19
<210>	287	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Enterococcus faecalis</i>	
<400>	287	
	ttatccccct ctgatgggt	19
<210>	288	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	Probe for <i>Enterobacter agglomeran</i>	
<400>	288	
	gatgaagtat taatttcac	19